

## Forage Suitability Groups (MN)

Sibley County, Minnesota

[Absence of an entry indicates that a forage suitability group was not assigned]

| Map symbol<br>and soil name | Pct. of map<br>unit | Land<br>resource<br>unit | Forage<br>suitability<br>group number |
|-----------------------------|---------------------|--------------------------|---------------------------------------|
| 5B:                         |                     |                          |                                       |
| Dakota                      | 90                  | S                        | 06                                    |
| Terril                      | 7                   | ---                      | ---                                   |
| Biscay                      | 3                   | ---                      | ---                                   |
| 27B:                        |                     |                          |                                       |
| Dickinson                   | 90                  | S                        | 02                                    |
| Lester                      | 10                  | ---                      | ---                                   |
| 35:                         |                     |                          |                                       |
| Blue Earth                  | 90                  | S                        | 13                                    |
| Canisteo                    | 5                   | ---                      | ---                                   |
| Harps                       | 5                   | ---                      | ---                                   |
| 86:                         |                     |                          |                                       |
| Canisteo                    | 90                  | S                        | 09                                    |
| Glencoe                     | 5                   | ---                      | ---                                   |
| Crippen                     | 3                   | ---                      | ---                                   |
| Klossner                    | 2                   | ---                      | ---                                   |
| 94B:                        |                     |                          |                                       |
| Terril                      | 90                  | S                        | 02                                    |
| Delft                       | 10                  | ---                      | ---                                   |
| 102B:                       |                     |                          |                                       |
| Clarion                     | 90                  | S                        | 02                                    |
| Nicollet                    | 5                   | ---                      | ---                                   |
| Webster                     | 5                   | ---                      | ---                                   |
| 106B:                       |                     |                          |                                       |
| Lester                      | 90                  | S                        | 02                                    |
| Cordova                     | 5                   | ---                      | ---                                   |

## Forage Suitability Groups (MN)

Sibley County, Minnesota

| Map symbol<br>and soil name | Pct. of map<br>unit | Land<br>resource<br>unit | Forage<br>suitability<br>group number |
|-----------------------------|---------------------|--------------------------|---------------------------------------|
| 106B:<br>Le Sueur           | 5                   | ---                      | ---                                   |
| 106C2:<br>Lester, eroded    | 85                  | S                        | 02                                    |
| Delft                       | 5                   | ---                      | ---                                   |
| Terril                      | 5                   | ---                      | ---                                   |
| Cordova                     | 3                   | ---                      | ---                                   |
| Le Sueur                    | 2                   | ---                      | ---                                   |
| 109:<br>Cordova             | 90                  | S                        | 01                                    |
| Glencoe                     | 5                   | ---                      | ---                                   |
| Le Sueur                    | 5                   | ---                      | ---                                   |
| 110:<br>Marna               | 90                  | S                        | 01                                    |
| Glencoe                     | 5                   | ---                      | ---                                   |
| Klossner                    | 3                   | ---                      | ---                                   |
| Nicollet                    | 2                   | ---                      | ---                                   |
| 112:<br>Harps               | 90                  | S                        | 09                                    |
| Glencoe                     | 5                   | ---                      | ---                                   |
| Klossner                    | 3                   | ---                      | ---                                   |
| Crippen                     | 2                   | ---                      | ---                                   |
| 113:<br>Webster             | 90                  | S                        | 01                                    |
| Glencoe                     | 5                   | ---                      | ---                                   |
| Nicollet                    | 3                   | ---                      | ---                                   |

## Forage Suitability Groups (MN)

Sibley County, Minnesota

| Map symbol<br>and soil name | Pct. of map<br>unit | Land<br>resource<br>unit | Forage<br>suitability<br>group number |
|-----------------------------|---------------------|--------------------------|---------------------------------------|
| 113:<br>Clarion             | 2                   | ---                      | ---                                   |
| 114:<br>Glencoe             | 90                  | S                        | 13                                    |
| Canisteo                    | 5                   | ---                      | ---                                   |
| Harps                       | 3                   | ---                      | ---                                   |
| Klossner                    | 2                   | ---                      | ---                                   |
| 118:<br>Crippin             | 90                  | S                        | 10                                    |
| Canisteo                    | 5                   | ---                      | ---                                   |
| Clarion                     | 3                   | ---                      | ---                                   |
| Harps                       | 2                   | ---                      | ---                                   |
| 130:<br>Nicollet            | 90                  | S                        | 02                                    |
| Webster                     | 5                   | ---                      | ---                                   |
| Clarion                     | 3                   | ---                      | ---                                   |
| Canisteo                    | 2                   | ---                      | ---                                   |
| 134:<br>Okoboji             | 90                  | S                        | 13                                    |
| Canisteo                    | 5                   | ---                      | ---                                   |
| Harps                       | 3                   | ---                      | ---                                   |
| Klossner                    | 2                   | ---                      | ---                                   |
| 222B:<br>Lasa               | 90                  | S                        | 04                                    |
| Dakota                      | 10                  | ---                      | ---                                   |

## Forage Suitability Groups (MN)

Sibley County, Minnesota

| Map symbol<br>and soil name     | Pct. of map<br>unit | Land<br>resource<br>unit | Forage<br>suitability<br>group number |
|---------------------------------|---------------------|--------------------------|---------------------------------------|
| 239:                            |                     |                          |                                       |
| Le Sueur                        | 90                  | S                        | 02                                    |
| Cordova                         | 5                   | ---                      | ---                                   |
| Rolfe                           | 3                   | ---                      | ---                                   |
| Canisteo                        | 2                   | ---                      | ---                                   |
| 317:                            |                     |                          |                                       |
| Oshawa, frequently<br>flooded   | 90                  | S                        | 16                                    |
| Chaska                          | 5                   | ---                      | ---                                   |
| Minneiska                       | 5                   | ---                      | ---                                   |
| 329:                            |                     |                          |                                       |
| Chaska, occasionally<br>flooded | 90                  | S                        | 09                                    |
| Minneiska                       | 5                   | ---                      | ---                                   |
| Oshawa                          | 5                   | ---                      | ---                                   |
| 336:                            |                     |                          |                                       |
| Delft                           | 90                  | S                        | 01                                    |
| Clarion                         | 4                   | ---                      | ---                                   |
| Lester                          | 3                   | ---                      | ---                                   |
| Storden                         | 3                   | ---                      | ---                                   |
| 386:                            |                     |                          |                                       |
| Okoboji                         | 90                  | S                        | 13                                    |
| Klossner                        | 5                   | ---                      | ---                                   |
| Harps                           | 3                   | ---                      | ---                                   |
| Canisteo                        | 2                   | ---                      | ---                                   |
| 463B:                           |                     |                          |                                       |
| Minneiska                       | 90                  | S                        | 10                                    |

## Forage Suitability Groups (MN)

Sibley County, Minnesota

| Map symbol<br>and soil name       | Pct. of map<br>unit | Land<br>resource<br>unit | Forage<br>suitability<br>group number |
|-----------------------------------|---------------------|--------------------------|---------------------------------------|
| 463B:                             |                     |                          |                                       |
| Terril                            | 5                   | ---                      | ---                                   |
| Chaska                            | 3                   | ---                      | ---                                   |
| Coland                            | 2                   | ---                      | ---                                   |
| 525:                              |                     |                          |                                       |
| Muskego                           | 90                  | S                        | 14                                    |
| Klossner                          | 5                   | ---                      | ---                                   |
| Harps                             | 3                   | ---                      | ---                                   |
| Canisteo                          | 2                   | ---                      | ---                                   |
| 539:                              |                     |                          |                                       |
| Klossner                          | 90                  | S                        | 14                                    |
| Glencoe                           | 5                   | ---                      | ---                                   |
| Harps                             | 3                   | ---                      | ---                                   |
| Canisteo                          | 2                   | ---                      | ---                                   |
| 743:                              |                     |                          |                                       |
| Glencoe, stratified<br>substratum | 90                  | S                        | 13                                    |
| Glencoe                           | 5                   | ---                      | ---                                   |
| Mayer                             | 3                   | ---                      | ---                                   |
| Canisteo                          | 2                   | ---                      | ---                                   |
| 772F:                             |                     |                          |                                       |
| Swanlake                          | 55                  | S                        | 24                                    |
| Lasa                              | 35                  | S                        | 24                                    |
| Delft                             | 10                  | ---                      | ---                                   |
| 887B:                             |                     |                          |                                       |
| Clarion                           | 60                  | S                        | 02                                    |

## Forage Suitability Groups (MN)

Sibley County, Minnesota

| Map symbol<br>and soil name | Pct. of map<br>unit | Land<br>resource<br>unit | Forage<br>suitability<br>group number |
|-----------------------------|---------------------|--------------------------|---------------------------------------|
| 887B:                       |                     |                          |                                       |
| Swanlake                    | 30                  | S                        | 10                                    |
| Nicollet                    | 5                   | ---                      | ---                                   |
| Webster                     | 5                   | ---                      | ---                                   |
| 919:                        |                     |                          |                                       |
| Canisteo                    | 50                  | S                        | 09                                    |
| Mayer                       | 40                  | S                        | 09                                    |
| Glencoe                     | 5                   | ---                      | ---                                   |
| Nicollet                    | 5                   | ---                      | ---                                   |
| 920B:                       |                     |                          |                                       |
| Clarion                     | 55                  | S                        | 02                                    |
| Hawick                      | 35                  | S                        | 22                                    |
| Nicollet                    | 5                   | ---                      | ---                                   |
| Webster                     | 5                   | ---                      | ---                                   |
| 920C2:                      |                     |                          |                                       |
| Clarion, eroded             | 35                  | S                        | 02                                    |
| Hawick, eroded              | 30                  | S                        | 22                                    |
| Storden, eroded             | 25                  | S                        | 10                                    |
| Terril                      | 5                   | ---                      | ---                                   |
| Delft                       | 3                   | ---                      | ---                                   |
| Nicollet                    | 2                   | ---                      | ---                                   |
| 921C2:                      |                     |                          |                                       |
| Clarion, eroded             | 55                  | S                        | 02                                    |
| Storden, eroded             | 35                  | S                        | 10                                    |
| Terril                      | 5                   | ---                      | ---                                   |

## Forage Suitability Groups (MN)

Sibley County, Minnesota

| Map symbol<br>and soil name | Pct. of map<br>unit | Land<br>resource<br>unit | Forage<br>suitability<br>group number |
|-----------------------------|---------------------|--------------------------|---------------------------------------|
| 921C2:                      |                     |                          |                                       |
| Delft                       | 3                   | ---                      | ---                                   |
| Nicollet                    | 2                   | ---                      | ---                                   |
| 944B:                       |                     |                          |                                       |
| Lester                      | 55                  | S                        | 02                                    |
| Hawick                      | 35                  | S                        | 22                                    |
| Cordova                     | 5                   | ---                      | ---                                   |
| Le Sueur                    | 5                   | ---                      | ---                                   |
| 944C2:                      |                     |                          |                                       |
| Lester, eroded              | 45                  | S                        | 02                                    |
| Hawick, eroded              | 30                  | S                        | 22                                    |
| Swanlake, eroded            | 15                  | S                        | 10                                    |
| Terril                      | 5                   | ---                      | ---                                   |
| Delft                       | 3                   | ---                      | ---                                   |
| Le Sueur                    | 2                   | ---                      | ---                                   |
| 945D2:                      |                     |                          |                                       |
| Lester, eroded              | 55                  | S                        | 23                                    |
| Storden, eroded             | 35                  | S                        | 10                                    |
| Delft                       | 5                   | ---                      | ---                                   |
| Terril                      | 3                   | ---                      | ---                                   |
| Le Sueur                    | 2                   | ---                      | ---                                   |
| 945F:                       |                     |                          |                                       |
| Lester                      | 70                  | S                        | 24                                    |
| Storden                     | 20                  | S                        | 10                                    |
| Delft                       | 5                   | ---                      | ---                                   |

## Forage Suitability Groups (MN)

Sibley County, Minnesota

| Map symbol<br>and soil name | Pct. of map<br>unit | Land<br>resource<br>unit | Forage<br>suitability<br>group number |
|-----------------------------|---------------------|--------------------------|---------------------------------------|
| 945F:<br>Terril             | 5                   | ---                      | ---                                   |
| 946:<br>Nicollet            | 55                  | S                        | 02                                    |
| Linder                      | 35                  | S                        | 02                                    |
| Biscay                      | 5                   | ---                      | ---                                   |
| Webster                     | 5                   | ---                      | ---                                   |
| 956:<br>Canisteo            | 60                  | S                        | 09                                    |
| Glencoe                     | 30                  | S                        | 13                                    |
| Crippen                     | 10                  | ---                      | ---                                   |
| 978:<br>Cordova             | 75                  | S                        | 01                                    |
| Rolfe                       | 20                  | S                        | 13                                    |
| Le Sueur                    | 5                   | ---                      | ---                                   |
| 1016:<br>Udorthents, loamy  | 100                 | S                        | 10                                    |
| 1030:<br>Udorthents         | 50                  | S                        | 10                                    |
| Pits, gravel                | 40                  | S                        | 24                                    |
| Biscay                      | 10                  | ---                      | ---                                   |
| 1075:<br>Klossner, ponded   | 45                  | S                        | 24                                    |
| Muskego, ponded             | 45                  | S                        | 24                                    |
| Canisteo                    | 5                   | ---                      | ---                                   |
| Harps                       | 5                   | ---                      | ---                                   |



## Forage Suitability Groups (MN)

Sibley County, Minnesota

| Map symbol<br>and soil name        | Pct. of map<br>unit | Land<br>resource<br>unit | Forage<br>suitability<br>group number |
|------------------------------------|---------------------|--------------------------|---------------------------------------|
| 1081:                              |                     |                          |                                       |
| Minneiska, occasionally<br>flooded | 70                  | S                        | 10                                    |
| Abscota, occasionally<br>flooded   | 20                  | S                        | 08                                    |
| Oshawa                             | 5                   | ---                      | ---                                   |
| Chaska                             | 3                   | ---                      | ---                                   |
| Kalmarville                        | 2                   | ---                      | ---                                   |
| 1093:                              |                     |                          |                                       |
| Webster                            | 55                  | S                        | 01                                    |
| Biscay                             | 40                  | S                        | 01                                    |
| Glencoe                            | 3                   | ---                      | ---                                   |
| Nicollet                           | 2                   | ---                      | ---                                   |
| 1356:                              |                     |                          |                                       |
| Water, miscellaneous               | 100                 | ---                      | ---                                   |
| 1833:                              |                     |                          |                                       |
| Coland, occasionally<br>flooded    | 90                  | S                        | 01                                    |
| Minneiska                          | 5                   | ---                      | ---                                   |
| Oshawa                             | 5                   | ---                      | ---                                   |
| 1834:                              |                     |                          |                                       |
| Coland, frequently flooded         | 90                  | S                        | 16                                    |
| Minneiska                          | 5                   | ---                      | ---                                   |
| Oshawa                             | 5                   | ---                      | ---                                   |
| 1901B:                             |                     |                          |                                       |
| Lester                             | 50                  | S                        | 02                                    |
| Le Sueur                           | 40                  | S                        | 02                                    |

## Forage Suitability Groups (MN)

Sibley County, Minnesota

| Map symbol<br>and soil name               | Pct. of map<br>unit | Land<br>resource<br>unit | Forage<br>suitability<br>group number |
|---|---------------------|--------------------------|---------------------------------------|
| 1901B:<br>Cordova                         | 10                  | ---                      | ---                                   |
| 1999:<br>Minneiska, frequently<br>flooded | 55                  | S                        | 15                                    |
| Kalmarville, frequently<br>flooded        | 35                  | S                        | 16                                    |
| Chaska                                    | 5                   | ---                      | ---                                   |
| Oshawa                                    | 5                   | ---                      | ---                                   |
| L13A:<br>Klossner, drained                | 80                  | S                        | 14                                    |
| L83A:<br>Webster                          | 65                  | S                        | 01                                    |
| L84A:<br>Glencoe, depressional            | 80                  | S                        | 13                                    |
| L85A:<br>Nicollet                         | 85                  | S                        | 02                                    |
| L107A:<br>Canisteo                        | 50                  | S                        | 09                                    |
| Glencoe, depressional                     | 35                  | S                        | 13                                    |
| L163A:<br>Okoboji, depressional           | 92                  | S                        | 13                                    |
| W:<br>Water                               | 100                 | M                        | N                                     |